



American Journal of Epidemiology & Public Health

Observational Study

Moving and Living Micro-Organisms in the COVID-19 Vaccines - Prevention, Early Treatment Cocktails for COVID-19 and Detoxification Methods to Reduce sequels of COVID-19 Vaccines - ②

Ki-Yeob Jeon*

Hopkins Jeonil Internal Medicine Clinic, The Republic of Korea

***Address for Correspondence:** Ki-Yeob Jeon, Hopkins Jeonil Internal Medicine Clinic, Jeonju, 54836, the Republic of Korea (South Korea), Tel: +82-107-701-5621; E-mail: kjeon@hanmail.net

Submitted: 03 January 2022; **Approved:** 11 January 2022; **Published:** 12 January 2022

Cite this article: Ki-Yeob J. Moving and Living Micro-Organisms in the COVID-19 Vaccines - Prevention, Early Treatment Cocktails for COVID-19 and Detoxification Methods to Reduce sequels of COVID-19 Vaccines. American J Epidemiol Public Health. 2022 January 12;6(1): 001-006. doi: 10.37871/ajeph.id50

Copyright: © 2022 Ki-Yeob J. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

ABSTRACT

Korea Veritas Doctors for COVID-19 are reporting two important findings: (a) actively moving unknown live micro-organisms were found in the COVID-19 Vaccine vials (b) a treatment cocktail for 44 COVID-19 outbreak patients was administered and worked successfully. In our opinion all the contents of the COVID-19 vaccines should be thoroughly studied and irrational and harmful COVID-19 vaccinations should be stopped. As a result baseless Vaccine Pass Policy should be stopped. COVID-19 prevention and treatment cocktails should replace the harmful COVID-19 vaccines for the prevention and treatment of COVID-19. Sequels and the harmful effects of the COVID-19 vaccines should be addressed by detoxifications methods.

Keywords: COVID-19 vaccine; Live micro-organisms; Vaccine pass policy; Prevention and treatment cocktails for COVID-19; Detoxification methods for COVID-19 vaccine; Foot immersion bathing

INTRODUCTION

As of December 16, 2021, the total COVID-19 death was 4,518 persons in South Korea which has a population of 53 million: none of the below the 30-year-old was died of, and only 132 persons who did not have any underlying diseases were died of COVID-19 [1]. On December 4, 2021, there were 5,327 cases of PCR positives while Japan had only 131 cases even though the population of Japan is about 2.5 times greater than that of Korea (Korea 53 million vs. Japan 130 million); this means that Korea has almost 100-times more outbreaks of PCR positive cases than that of Japan. On that day, more than 70 people died of COVID-19 while Japan had none [2]. This means that Korean government has a very poor COVID-19 policy and the Korean Government behaves very badly against the COVID-19 attacks in Korea.

In South Korea, the COVID-19 treatment protocol using HCQ + AZM (Hydroxychloroquine + Azithromycin) was almost annihilated after the COVID-19 National Strategic Meeting on June 25, 2020. In that meeting, an HCQ + AZM protocol was victimized as causing a 2.93 fold increase of mortality in the treatment of COVID-19 patients. The false information was based upon a “monumental fraud” Lancet study, which was retracted because of its data fabrication [3,4]. There

was a report on problems of not-using Hydroxychloroquine (HCQ) for COVID-19 patients, and was suggested that about 71% of the total death could be reduced if HCQ was used for the early treatment of COVID-19 patients [5].

PRESS CONFERENCE BY KOREA VERITAS DOCTORS

Korea Veritas Doctors for COVID-19 are presenting (a) actively moving unknown live micro-organisms in the contents of Pfizer vaccine vials (Figures 1a-c) [6]; (b) questionable dark and thick graphene-like subjects (Figure 1d), metal-like particles (Figure 1e), and graphene-or-a worm-like subject (Figure 1f). In addition, we introduce prevention, early treatment cocktail protocols for COVID-19 and detoxifying methods for COVID-19 vaccines (Table 1).

BREAKTHROUGH CASES OF COVID-19 VACCINES

44 breakthrough COVID-19 patients are presented (Table 2). The treatment cocktails for the 44 COVID-19 patients in a rural area of Kyunggi Province, South Korea, is described in table 1. Among the 72 inmates of the nursing home, 2 persons were not vaccinated, 3 got 1st




Figure 1: A -20°C refrigerated Comirnaty [Lot Number: FK0592, Expire Date: January, 2022] was thawed and observed with a 400X optic microscope.

- 1a) A disc-like object.
- 1b) A long stick-like organism.
- 1c) A twin-like organism.
- 1d) A graphene-like objects.
- 1e) Metal piece-like objects.
- 1f) A parasite-like object.



Table 1: Recommended protocols for doctors: corona prevention cocktail, corona treatment cocktail, rehabilitation cocktail after COVID-19 treatment, and methods for the detoxification of COVID-19 vaccines.

Treatment Items	Daily Dosage for COVID-19			COVID Vaccine Detoxification	
	Prevention	Treatment	Rehabilitation	Beginning for 10 days	Continuation for 4 months
Vit C	6 g	12-20 g	6 g	Daily 12-20 g	Daily 6 g
Vit D	5,000 IU	10,000 IU	5,000 IU	Daily 10,000 IU	Daily 5,000 IU
Zinc	50 mg	100 mg	50 mg	Daily 100 mg	Daily 50 mg
Glutathione	500 mg	1500 mg	500 mg	Daily 1500 mg	Daily 1,000 mg
NAC	600 mg	1,800 mg	1,200 mg	Daily 1,800 mg	Daily 1,200 mg
Pine Needle Tea	1 spoon/cup	3 spoons/cups	2 spoons/cups	Daily 3 spoons	Daily 2 spoons/cups
HCQ	400-800 mg In a week	400 mg a day for 10 days	200 mg a day for 30 days	Daily 400 mg for 10 days	Daily 200 mg for 4 months
AZM / /Doxycycline	X	2 Tabs for 5 days	Doxycycline 200 mg per day for 4 days	X	X
Aspirin	X	1 Tab	1 Tab	1 Tab	1 Tab
Ginkgo Biloba or Sigmart	X	2 Tab	1 Tab	2 Tab	2 Tab
Fenofibrate	1 Tab QOD	1 T	1 Tab QOD	1 Tab	1 Tab
Melatonin	2 mg QOD	2 mg	2 mg QOD	2 mg QOD	2 mg QOD
Ivermectin	0.3 mg/Kg monthly dose	0.4 mg/Kg single dose	0.4 mg/Kg per 1 month, 2 times	0.4 mg/Kg single dose	0.3mg /Kg monthly dose
Dexamethasone / Budesonide Inhaler (p.r.n.)	X	Dexa 4-8 mg in 3, 4, 5, 6 ,7 days of Tx; Inhaler	Dexa 1-2 mg QOD for 5 times with tapering	Dexa 4-8 mg in even number days of Detox	Dexa 1-2 mg QOD for 5 times with tapering
Foot Bathing	Every week	QD	QOD	QD or 2 times a day for 1 month	QOD for another 3 months

Table 2: In a small nursing home with a capacity of 72-persons, which was located in the Kyunggi Province, South Korea, there broke out 44 breakthrough COVID-19 patients from December 3rd, 2021 and with HCQ + AZM treatment, the outbreak ceased by December 25th, 2021.

Age Group	Vaccination Status	Results of PCR Tests		Expired
		Negative	Positive with symptoms	
20-29	2 nd Vaccination	1		
39-39	3 rd Vaccination	1		
40-49	1 st Vaccination		1	
50-59	Unvaccinated		1	
	2 nd Vaccination	3	2	
	3 rd Vaccination	4		
60-69	Unvaccinated		1	
	2 nd Vaccination	1	7	1 Expired (A 68 year old man with Alzheimer's Disease was almost recovered but, in the 11th mid night there was a convulsion attack and died.)
	3 rd Vaccination	10	2	
70-79	1 st Vaccination		2	
	2 nd Vaccination	1	9	
	3 rd Vaccination	3		
80-89	2 nd Vaccination		15	*1 Fasting Death (An 87 year old woman denied her food intake for 4 days from 8 th day and died on the 12 th day.)
	3 rd Vaccination		1	
90-99	2 nd Vaccination		7	
TOTAL	72	24 (Over 60-y-o, 15 persons) *2 nd Vaccination: 6/44 (13%) *3 rd Vaccination: 18/21 (85.7%)	48 (Over 60-y-o, 44 persons) *2 nd Vaccination: 40/46 (86.9%) *3 rd Vaccination: 3/21 (14.3%)	1 (*One was excluded as not-being-a COVID death.) (Mortality of over 60-y-o by the HCQ + AZM: 2.27%) (National Mean of Mortality of over 60-y-o as of Dec 26, 2021: 3.38%)

vaccination, 21 persons were vaccinated three times, and 46 persons were vaccinated two times. 40 of the 46 2nd vaccinees were infected (87%), 3 out of 21 3rd vaccinees (14.3%), and 5 of the 5 less than two vaccinees (100%). The HCQ + Azithromycin cocktail treatment showed excellent treatment results: among the 43 breakthrough cases, only one person died; and among the 44 persons of over the 60-year-old, one person died and another person died due to fasting. The local outbreak began from December 3, 2021, continued to December 25, 2021, and lasted for 23 days. The mortality ratio of over the 60-year-old was one out of 43 (2.33%) at this nursing home outbreak through the HCQ + AZM cocktail treatment, and that of the national ratio was 3.38% as of December 26, 2021. This means that the HCQ + AZM treatment cocktail can be used as a standard method for the early treatment of COVID-19 patients.

TWO FACETS OF COVID-19 VACCINES

According to the six months safety and efficacy of the BNT162b2 mRNA COVID-19 vaccine study, the Pfizer vaccine killed 5 people to save one COVID death, even though statistically not significant [8].

VAERS data showed a statistically significant result that Pfizer vaccine kills more people than it saves: at least 2 people die when Pfizer vaccine saves one life [9]. It also showed that 71-fold increase of the cardiac arrest and death cases shortly after COVID-19 vaccination compared to that of average over 5 years for all vaccinees ($(57/4)^5 = 71$ -fold) [9]. The cumulative total death of COVID-19 vaccination is 1,552 persons, total number of adverse reactions 411,038 cases, severe adverse reactions of 15,167 cases as of December 30, 2021, and total death of 1,252 persons, total adverse reactions 374,200 cases, and severe cases of 13,418 cases as of November 18, 2021 according to the COVID-19 Vaccination Report of the Korea Disease Control and Prevention Agency [10]. The Korean Government insists that the severity ratio is higher in the unvaccinated ($6,824/207,155 = 3.28\%$) compared to the vaccinated ($279 / 44,289 = 0.63\%$) without counting

the adverse effects of the COVID-19 vaccines. The Government is looking only one facet of COVID-19 vaccines. The other facet of the COVID-19 showed totally different features. COVID-19 vaccines caused 1,252 deaths, 374,200 side effects, and 13,418 severe adverse reactions including death and anaphylaxis as of November 18, 2021. We need to add these two kinds of data of the two different facets of the COVID-19 vaccines to know the real effects of the COVID-19 vaccines. The severity is higher in the vaccinated as ($[\text{confirmed cases } 44,289 + \text{number of adverse reactions } 374,200] = 418,489$) compared to confirmed cases in the unvaccinated (207,155). Also, the severity is higher in the vaccinated as ($[\text{death and severe cases } 279 + \text{number of death and severe adverse reactions with COVID-19 vaccines } 13,418] = 13,697$) compared to death and severe cases of the unvaccinated (6,814 cases). So, the vaccinated has a two-fold increase of severity than that the unvaccinated both in the occurrence of COVID-19 cases and of the severe cases or death.

DETOXIFICATION OF COVID-19 VACCINES

Subacute dermatologic problems such as eczematous or scaly lesions which occurred after COVID-19 vaccines were usually resilient and reluctant to respond to the prescriptions of dermatologists (Figure 4). The lesions improved progressively with the detoxifying methods for COVID-19 vaccines for one month. But those skin lesions reagravated when stopped for one week the detoxifying treatment. So, the lesions may need to detoxify at least for 4 months and needs to be followed up. Also, neurologic pathologies such as near paralysis of extremities, difficult to walk, sudden unknown convulsive movements, and autonomic palpitations of the extremities, were improved with detoxification methods written in the table 1. Abnormal neurologic features may include anosmia, stroke, paralysis, decreased eye function, facial numbness, and depression were difficult to cure by the usual and classic rehabilitation methods [11]. Intensity, frequency, and duration of myopericarditis symptoms after the COVID-19 vaccinations such as dyspnea, chest



Figure 2: Skin lesions which occurred after COVID-19 vaccines. They were usually resilient and reluctant to respond to the prescriptions of dermatologists. They were improved with detoxifying methods for the COVID-19 vaccines.



Figure 3: Living organisms extracted by a foot immersion bathing method. The first-row shows various kinds of living organisms extracted through a foot immersion bathing. The second-row shows a questionable parasite-like living organisms with an egg pouch and an egg-pouch or a Morgellons with hair-like graphene oxides attached to it. The third-row shows Morgellons with hair-like graphene oxide and an egg pouch. Currently, this kind of Foot Immersion Bathing are booming in Korea. These pictures were posted by a Moderna COVID-19 injected person who had experienced nerve paresis and could not even walk. After a detoxification treatment, her paresis was mostly gone, and she participates in the Anti-COVID-19 vaccination rally.



Figure 4: Materials necessary for the foot immersion bathing and some extracted organisms through the foot immersion bathing. For those who have severe adverse reactions by COVID-19 vaccines, whole-body immersion bathing is recommended instead of a foot immersion bathing. For the whole-body immersion bathing, 4.5 kg of bay salt is melted with a 500 ml vinegar in the half-hot water-filled bath. At first, the bathing time should not be over 15 minutes, and the progressively increase until one hour at a time. For the foot immersion bathing, pour hot water in a basin to the height of malleolus of the ankle. Then pour three-cups of bay salt and one cup of vinegar. Remove all the impure foreign materials in the water to make it clear as pure water. The temperature of the basin water should be as warm as 42-45°C. Then Immerse your feet in the prepared water for about 25 minutes. Before this procedure, you need to wash your feet clearly. Remove your feet from the water of Immersion Bathing, then observe the water about 15 minutes. If you find out 1-3 small spots, speckles, rods, or spirals, carefully and selectively collect them on the white A4 paper. Then observe with the digital microscope at X1000 microscopic magnifying power. Pictures of the first-row show the water of the Foot Immersion Bathing, and foreign organisms that were extracted through the Foot Immersion Bathing. The second-row shows X400 microscopic pictures of the materials which were extracted from a patient who were experiencing adverse reactions because of COVID-19 vaccine. The microscopic pictures show an insect-like object and a newly-formed blood clot. The third-row shows somewhat hydra-like parasites, Morgellons, an EMF (Electro-magnetic field) bucket, and a person who were doing the foot immersion bathing.



tightness, tearing and needling pain in the chest decreased by a half after 3 weeks of detoxifying methods.

EXTRACTS THROUGH THE FOOT IMMERSION BATHING

We can extract various subjects through the foot immersion bathing for from 25 minutes to 1 hour.

The first case in South Korea started from October 22, 2021 by Haemin Cho and this extraction method nation-widely boomed in a short time and many people are posting their self-extracted figures [12]. This method is a promising one for the extraction of some deadly materials that could be originated from COVID-19 vaccines or outside world such as Chemtrails, foods, or drugs. Morgellons with hair-like graphene oxide and an egg pouch, blood clots, questionable parasite-like living organisms with an egg pouch, metal-like materials were posted (Figure 3) which were extracted through the foot immersion bathing (Figure 4). Surprisingly, it looked that some of the parasite-like organisms attached to magnets. But we need to study further about the nature of these living organisms and how to eradicate them.

REFERENCES

1. Korea Disease Control and Prevention Agency. Q&A of uncovered information for Number of COVID-19 deaths who has not an underlying disease. <https://bit.ly/3K25ndm>
2. Seoul News Paper. Dec 5, 2021. The Mystery of Japan which has no CORONA death. <https://bit.ly/3f9t1X2>
3. Office of the Attorney General. State of Nebraska. Prescription of Ivermectin or Hydroxychloroquine as Off-Label Medicines for the Prevention or Treatment of COVID-19. October 15, 2021. <https://bit.ly/3qfVTU0>
4. MR Mehra, SS Desai, et al. Hydroxychloroquine or chloroquine with or without a macrolide for treatment of COVID-19: a multinational registry analysis. *Lancet*. 2020 May 22;S0140-6736(20)31180-6. doi: 10.1016/S0140-6736(20)31180-6.
5. KY Jeon. Problems of Not-using Hydroxychloroquine (HCQ) for COVID-19 Patients. *American J Epidemiol Public Health*. 2020;4(3): 059-061. doi: 10.37871/ajeph.id31.
6. Pfizer & Moderna Thawed. Dr. Jane Ruby | Moving Organisms In Vials - December 17, 2021 (brandnewtube.com)
7. Declaration of the Korea Veritas Doctors for COVID-19 on December 30th, 2021, at the Korea Press Center.
8. SJ Thomas, ED Moreira Jr, et al. The six month safety and efficacy of the BNT162b2 mRNA COVID-19 vaccine study. doi: <https://doi.org/10.1101/2021.07.28.21261159>
9. VRBPAC Meeting. Steve Kirsch. Pfizer vaccine kills more people than it saves. VRBPAC meeting Kirsch (skirsch.com). September 17, 2021. <https://bit.ly/3K2hhUo>
10. The COVID-19 Vaccination Report of the Korea Disease Control and Prevention Agency. <https://bit.ly/3nhTBlN>
11. Fotuhi M, Mian A, Meysami S, Raji CA. Neurobiology of COVID-19. *J Alzheimers Dis*. 2020;76(1):3-19. doi: 10.3233/JAD-200581. PMID: 32538857; PMCID: PMC7660990.
12. United States Politics Gallery. A recommendation for Foot Immersion Washing. <https://bit.ly/3fegJNg>